

SAMPLE DETAILS

SAMPLE NAME: Mile High Mike's Lemon Rush

Beverage, Liquid Edible

CULTIVATOR / MANUFACTURER

Business Name:

License Number:

Address:

DISTRIBUTOR / TESTED FOR

Business Name: The Brewing
Projekt

License Number:

Address:

SAMPLE DETAIL

Batch Number: 9225

Sample ID: 250923L010

Date Collected: 09/23/2025

Date Received: 09/23/2025

Batch Size:

Sample Size: 1.0 unit

Unit Mass: 355 milliliters per Unit

Serving Size: 355 milliliters per Serving

Scan QR code to verify
authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: 9.9580 mg/unit

Total CBD: 0.4970 mg/unit

Sum of Cannabinoids: 10.4550 mg/unit

Total Cannabinoids: 10.4550 mg/unit

Total THC/CBD is calculated using the following formulas to take into
account the loss of a carboxyl group during the decarboxylation step:Total THC = Δ^9 -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa +THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBNTotal Cannabinoids = (Δ^9 -THC + 0.877*THCa) + (CBD + 0.877*CBDa) +

(CBG + 0.877*CBGa) + (THCV + 0.877*THCVa) + (CBC + 0.877*CBCa) +

(CBDV + 0.877*CBDVa) + Δ^8 -THC + CBL + CBN

Density: 1.0265 g/mL

SAFETY ANALYSIS - SUMMARY

 Δ^9 -THC per Unit:  PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), $\mu\text{g/g}$ = ppm, $\mu\text{g/kg}$ = ppb



LQC verified by: Michael Pham
Job Title: Senior Laboratory Analyst
Date: 09/24/2025



Approved by: Josh Wurzer
Job Title: Chief Compliance Officer
Date: 09/24/2025

Superior Molecular

 4459 White Bear Pkwy
 White Bear Lake, MN 55110

(612) 251-9801

Sample: 2505AIT0472.0859

Strain: D9 Water Emulsion Full Panel (5/12/2025)


Batch#: WS.D9.051225; Batch Size: g

Sample Received: 05/28/2025; Report Created: 06/06/2025

D9 Water Emulsion Full Panel (5/12/2025)

Concentrates & Extracts, Emulsion



	10.441%	<LOQ	10.995%
	Total THC	Total CBD	Total Cannabinoids

Cannabinoids

Date Tested: 05/28/2025

Analytes	%	mg/g	LOQ
CBC	0.197	1.975	0.001
CBD	<LOQ	<LOQ	0.001
CBDa	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	0.001
CBG	0.356	3.562	0.001
CBGa	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	0.001
Δ9-THC	10.441	104.413	0.001
THCa	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	0.001

 Method: HPLC
 Total THC = THCa * 0.877 + Δ9-THC
 Total CBD = CBDa * 0.877 + CBD

 Total Cannabinoids represents the sum of all cannabinoids in the table above.
 Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
 LOQ = Limit of Quantitation

Summary

Pass Mycotoxins	Pass Heavy Metals	Pass Pesticides
---------------------------	-----------------------------	---------------------------

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
www.hempinspection.com



 John Schmidt
 Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Superior Molecular

4459 White Bear Pkwy
White Bear Lake, MN 55110

(612) 251-9801

Sample: 2505AIT0472.0859

Strain: D9 Water Emulsion Full Panel (5/12/2025)

Batch#: WS.D9.051225; Batch Size: g

Sample Received: 05/28/2025; Report Created: 06/06/2025

D9 Water Emulsion Full Panel (5/12/2025)

Concentrates & Extracts, Emulsion



Mycotoxins

Pass

Date Tested: 05/28/2025

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	20.00	<LOQ	Pass
Aflatoxin B2	1.00	20.00	<LOQ	Pass
Aflatoxin G1	1.00	20.00	<LOQ	Pass
Aflatoxin G2	1.00	20.00	<LOQ	Pass
Ochratoxin A	1.00	20.00	<LOQ	Pass

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.comJohn Schmidt
Analytical ChemistConfident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Superior Molecular

4459 White Bear Pkwy
White Bear Lake, MN 55110

(612) 251-9801

Sample: 2505AIT0472.0859

Strain: D9 Water Emulsion Full Panel (5/12/2025)

Batch#: WS.D9.051225; Batch Size: g

Sample Received: 05/28/2025; Report Created: 06/06/2025

D9 Water Emulsion Full Panel (5/12/2025)

Concentrates & Extracts, Emulsion



Heavy Metals

Pass

Date Tested: 05/28/2025

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Arsenic	0.10	0.20	<LOQ	Pass
Cadmium	0.10	0.50	<LOQ	Pass
Lead	0.10	0.10	<LOQ	Pass
Mercury	0.10	0.20	<LOQ	Pass

Method: ICPMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com

John Schmidt

Analytical Chemist

Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Superior Molecular

 4459 White Bear Pkwy
 White Bear Lake, MN 55110

(612) 251-9801

Sample: 2505AIT0472.0859

Strain: D9 Water Emulsion Full Panel (5/12/2025)

Batch#: WS.D9.051225; Batch Size: g

Sample Received: 05/28/2025; Report Created: 06/06/2025

D9 Water Emulsion Full Panel (5/12/2025)

Concentrates & Extracts, Emulsion



Pesticides

Pass

Date Tested: 05/28/2025

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.01	0.50	<LOQ	Pass
Acephate	0.01	0.40	<LOQ	Pass
Acequinocyl	0.01	2.00	<LOQ	Pass
Acetamiprid	0.01	0.20	<LOQ	Pass
Aldicarb	0.01	0.40	<LOQ	Pass
Azoxystrobin	0.01	0.20	<LOQ	Pass
Bifenazate	0.01	0.20	<LOQ	Pass
Bifenthrin	0.01	0.20	<LOQ	Pass
Boscalid	0.01	0.40	<LOQ	Pass
Carbaryl	0.01	0.20	<LOQ	Pass
Carbofuran	0.01	0.20	<LOQ	Pass
Chlorantraniliprole	0.01	0.20	<LOQ	Pass
Chlorfenapyr	0.01	1.00	<LOQ	Pass
Chlorpyrifos	0.01	0.20	<LOQ	Pass
Clofentezine	0.01	0.20	<LOQ	Pass
Cyfluthrin	0.01	1.00	<LOQ	Pass
Cypermethrin	0.01	1.00	<LOQ	Pass
Daminozide	0.01	1.00	<LOQ	Pass
DDVP	0.01	1.00	<LOQ	Pass
Diazinon	0.01	0.20	<LOQ	Pass
Dimethoate	0.01	0.20	<LOQ	Pass
Ethoprophos	0.01	0.20	<LOQ	Pass
Etofenprox	0.01	0.40	<LOQ	Pass
Etiozole	0.01	0.20	<LOQ	Pass
Fenoxycarb	0.01	0.20	<LOQ	Pass

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
www.hempinspection.com



John Schmidt

Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Superior Molecular

 4459 White Bear Pkwy
 White Bear Lake, MN 55110

(612) 251-9801

Sample: 2505AIT0472.0859

Strain: D9 Water Emulsion Full Panel (5/12/2025)

Batch#: WS.D9.051225; Batch Size: g

Sample Received: 05/28/2025; Report Created: 06/06/2025

D9 Water Emulsion Full Panel (5/12/2025)

Concentrates & Extracts, Emulsion



Pesticides

Pass

Date Tested: 05/28/2025

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Fenpyroximate	0.01	0.40	<LOQ	Pass
Fipronil	0.01	0.40	<LOQ	Pass
Flonicamid	0.01	1.00	<LOQ	Pass
Fludioxonil	0.01	0.40	<LOQ	Pass
Hexythiazox	0.01	1.00	<LOQ	Pass
Imazalil	0.01	0.20	<LOQ	Pass
Imidacloprid	0.01	0.40	<LOQ	Pass
Kresoxim Methyl	0.01	0.40	<LOQ	Pass
Malathion	0.01	0.20	<LOQ	Pass
Metalaxyl	0.01	0.20	<LOQ	Pass
Methiocarb	0.01	0.20	<LOQ	Pass
Methomyl	0.01	0.40	<LOQ	Pass
Methyl Parathion	0.01	0.20	<LOQ	Pass
MGK-264	0.01	0.20	<LOQ	Pass
Myclobutanil	0.01	0.20	<LOQ	Pass
Naled	0.01	0.50	<LOQ	Pass
Oxamyl	0.01	1.00	<LOQ	Pass
Paclobutrazol	0.01	0.40	<LOQ	Pass
Permethrins	0.01	0.20	<LOQ	Pass
Phosmet	0.01	0.20	<LOQ	Pass
Piperonyl Butoxide	0.01	2.00	<LOQ	Pass
Prallethrin	0.01	0.20	<LOQ	Pass
Propiconazole	0.01	0.40	<LOQ	Pass
Propoxur	0.01	0.20	<LOQ	Pass
Pyrethrins	0.01	1.00	<LOQ	Pass

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
www.hempinspection.com



John Schmidt

Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Superior Molecular

 4459 White Bear Pkwy
 White Bear Lake, MN 55110

(612) 251-9801

Sample: 2505AIT0472.0859

Strain: D9 Water Emulsion Full Panel (5/12/2025)

Batch#: WS.D9.051225; Batch Size: g

Sample Received: 05/28/2025; Report Created: 06/06/2025

D9 Water Emulsion Full Panel (5/12/2025)

Concentrates & Extracts, Emulsion



Pesticides

Pass

Date Tested: 05/28/2025

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Pyridaben	0.01	0.20	<LOQ	Pass
Spinosad	0.01	0.20	<LOQ	Pass
Spiromesifen	0.01	0.20	<LOQ	Pass
Spirotetramat	0.01	0.20	<LOQ	Pass
Spiroxamine	0.01	0.40	<LOQ	Pass
Tebuconazole	0.01	0.40	<LOQ	Pass
Thiacloprid	0.01	0.20	<LOQ	Pass
Thiamethoxam	0.01	0.20	<LOQ	Pass
Trifloxystrobin	0.01	0.20	<LOQ	Pass

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com



John Schmidt

Analytical Chemist

 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.